


# Installing Carpov & Magniks on MacOS



# 1. Download driver package from the Xerox website




XX.X.XeroxPrintDriver.X.XX.X.dmg

Open the Disk Image







Google "Xerox Phaser 7800 GX" and Choose the appropriate download for your computer.

You must be logged on to eduroam to complete this process.

# Run the installer for your system.




Its ok if these screens look slightly different. they change with each version but the steps they guide you through are the same.




Dont try to add the printer inside the installer. We'll do this in a later step.

If it says installation failed, its probably because of this, and its actually fine.

3. Once you have run the installer, open system preferences to add the printer.






Open the printers and scanners preferences window.



Press the + to add a printer.

Right click on the menu bar and choose Customize Toolbar







drag the "Advanced" gears icon to the menu bar.

click done.

Click the gears icon, then wait for it to stop loading.

Once these options appear choose:  
Internet Printing Protocol (https)  
Another Device

<https://printer.dma.ucla.edu:631/printers/Magnus>  
-OR-  
<https://printer.dma.ucla.edu:631/printers/Carpov>



Name it Magnus or Carpov depending on which link you used

next, choose the driver

----->





Type: Internet Printing Protocol (https)

Device: Another Device

URL: https://printer.dma.ucla.edu:631/printers/Carpov

Name: Carpov

Location:

Use: Choose a Driver...

← In the “Choose a Driver...” dropdown, select other software.

✓ Choose a Driver...


Auto Select

Generic PostScript Printer

Generic PCL Printer

Select Software...


Other...



Search for 7800, and choose Xerox Phaser 7800GX, x.xx.x\*


\*(the version number you downloaded)

Click OK and OK again to choose the default settings.



Repeat this process for the other phaser.

You should end up with something like this:



Its ok if the icons look different or the version numbers are different. These things get updated frequently.

